	Type	L #	Hits	Search Text	DBs	Time Stamp
1		L1	98	("6281638" or "6236168" or "6222326" or "6194843" or "6188553" or "6181083" or "6181082" or "6169375" or "6160358" or "6157142" or "6137233" or "6127786" or "6122182" or "6107750" or "6122182" or "6100645" or "6091288" or "6069455" or "6037722" or "6028399" or "6020688" or "6011362" or "5982111" or "5955841" or "5925986" or "5877926" or "5866993" or "5821699" or "5798617" or "5691606" or	1H: P( ) •	2005/01/03 09:01
2	IS&R	L2	2	("6674246").PN.		2005/01/03 09:10
3	BRS	L3	7	1 and balanc\$3	16'D() •	2005/01/03 09:09

	Туре	L #	Hits	Search Text	DBs	Time Stamp
4	BRS	L4	5904	(315/224).ccls. or (315/225).ccls. or (315/257).ccls. or (315/274).ccls. or (315/276).ccls. or (315/279).ccls. or (315/282).ccls. or (315/291).ccls. or (315/307).ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 09:14
5	BRS	L6	220	4 and secondary and primary and ((balanc\$3 cancel\$7) same (impedance resist\$4 wind\$3  induct\$4))	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 13:00
6	BRS	L7	158	6 and rectif\$4	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 09:27
7	BRS	L8	197	6 and (rectif\$4 \$6bridge diode\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/01/03 12:58
8	BRS	L9		8 and (feed\$1back (fe\$2 adj2 back))	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 12:43

	Туре	L #	Hits	Search Text	DBs	Time Stamp
9	IS&R	L10	2	("20040090800").PN.	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/01/03 10:01
10	BRS	L11	1	10 and feedback and (current load proportional)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 10:12
11	BRS	L12	1	10 and current and sinusoidal and remov\$5addition	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/01/03 10:22
12	BRS	L13	1	10 and THD and PF	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 12:59
13	BRS	L14	11	10 and THD and PF and percent\$4		2005/01/03 10:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L15	17	10 and (feedback same doub1\$3)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 10:54
15	BRS	L17	1008		114' LJ( ) •	2005/01/03 12:53
16	BRS	L18	22	((balanc\$3 cancel\$7) same	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/01/03 12:56
17	BRS	L19	7895	secondary and primary and ((balanc\$3 cancel\$7) same (impedance resist\$4 wind\$3  induct\$4)) and (feed\$1back detect\$3 monitor\$3 sens\$3) and (lamp light\$3 tube)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 12:58
18	BRS	L20	4703	19 and (rectif\$4 \$6bridge diode\$1)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 12:58

	Туре	L #	Hits	Search Text	DBs	Time Stamp
19	BRS	L21		20 and ((balanc\$3 cancel\$7) near5 (impedance resist\$4 wind\$3	1H, D( ) •	2005/01/03 13:01
20	BRS	L22	127	21 and ("315"/\$7).ccls.	IH' D( ) •	2005/01/03 13:10
21	BRS	L23	84	22 not (18 9)	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 13:11
22	BRS	L24	101	21 and ("361"/\$7).ccls.	US- PGPUB; USPAT; EPO; JPO; DERWEN	2005/01/03 13:10
23	BRS	L25	94	24 not (23 18 9)	IP, DU .	2005/01/03 13:17

	Туре	L #	Hits	Search Text	DBs	Time Stamp
24	BRS	L26	68	(Mihail near3 Moisin).in.	(H: D( ) •	2005/01/03 13:18
25	BRS	L27	3	26 and 19	IH' D( ) •	2005/01/03 13:41